
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## Cotton Varieties Planted 2006 Crop



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee
August 2006



## Cotton Varieties Planted, United States 2006 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2006-2007 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Stoneville, Paymaster, AFD Seed, Phytogen, All-Tex, and Americot.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 95.5 percent of the Upland cotton planted in the United States in 2006. Usage of transgenic varieties in 2006 varied from a high of 100 percent in Missouri to a low of 59.1 percent in California. Other states planted from 93-99 percent transgenic except for and Arizona (87.2 percent) and New Mexico (82.8 percent).

Deltapine brand varieties were the most popular planted in 2006, accounting for about 47.9 percent of the United States acreage. This brand accounted for 85.8 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 72.3 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 15.5 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 31.7 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 445 BG/RR, and DP 449 BG/RR, accounting respectively for 17.3, 13.2, 4.7, and 1.8 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2006, accounting for about 26.7 percent of the United States acreage. These varieties accounted for 3.1 percent of the acreage planted in the southeastern states, 2.5 percent in the south central states, 54.8 percent in the southwestern states, and 8.2 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 960 B2R, FM 958, FM 960 RR, FM 832, and FM 960 BR, accounting respectively for about 6.0, 5.4, 2.2, 1.7, and 1.7 percent of the United States acreage planted to Upland cotton.

Stoneville brand varieties were the third most popular planted in 2006. These varieties accounted for about 12.2 percent of the acreage planted. They accounted for 8.4 percent of the acreage planted in the southeastern states, 22.4 percent of the acreage in the south central states, 8.0 percent in the southwestern states, and 8.8 percent in the western states. The most popular Stoneville varieties were ST 5599 BR, ST 4554 B2RF, and ST5242 BR accounting respectively for about 3.7, 1.9, and 1.4 percent of the United States acreage planted to Upland cotton.

Paymaster brand varieties were the fourth most popular planted in 2006, accounting for about 2.7 percent of the United States acreage. They accounted for 0.3 percent of the acreage planted in the southeastern states, 0.3 percent of the acreage in the south central states, and 5.7 percent in the southwestern states. The most popular Paymaster brand varieties were PM 2280 BG/RR and PM 2145 RR, accounting respectively for about 0.8 and 0.5 percent of the United States acreage planted to Upland cotton.

AFD Seed brand varieties were the next most popular and accounted for about 2.5 percent of the U.S. acreage planted in 2006. Phytogen brand varieties were the next most popular and accounted for about 2.2 percent of the U.S. acreage planted in 2006. All-Tex varieties were the seventh most popular and accounted for about 1.8 percent of the 2006 cotton acreage.

Phytogen was the most popular brand of American Pima varieties planted in 2006. Phytogen variety PHY 800 Pima accounted for 49.8 percent of the United States Pima acreage and was the most popular variety planted in California (56.2 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 32.8 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 9.5 percent of the U.S. Pima acreage. The most popular American Pima variety planted in Texas, New Mexico, and Arizona was Deltapine DP 340, accounting respectively for 82.1, 51.2, and 51.0 percent Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2006 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

Estimated percentage of Upland cotton planted to leading specified varieties, by growth area, 2006 crop

					Toronto de la constante de la		
	Deltapine	Deltapine	Deltapine	Deltapine	Deltapine	Stoneville	Stoneville
Southeast	DP 555 BG/RR	DP 444 BG/RR	DP 449 BG/RR	DP 445 BG/RR	DP 455 BG/RR	ST 5599 BR	ST 5242 BR
	46.82	16.68	4.20	4.01	2.90	2.11	2.05
	Deltapine	Deltapine	Deltapine	Stoneville	Stoneville	Stoneville	Deltapine
South Central	DP 444 BG/RR	DP 555 BG/RR	DP 445 BG/RR	ST 5599 BR	ST 4554 B2RF	ST 5242 BR	DP 432 RR
	27.88	20.14	12.52	10.02	4.17	3.19	2.93
	Bayer CropScience- Fibermax	Bayer CropScience- Fibermax	Deltapine				
Southwest	FM 960B2R	FM 958	FM 960RR	FM 832	FM 958LL	FM 989RR	DP 444 BG/RR
	13.00	11.86	4.64	3.74	3.40	3.40	3.40
	Phytogen	Deltapine	Phytogen	Bayer CropScience- Fibermax	CPCSD	Phytogen	Deltapine
West	PHY 72 Acala	DP 449 BG/RR	PHY 725 RF	FM 989B2R	Acala Fiesta RR	PHY 710 R Acala	DP 448 B
	17.34	12.40	7.52	5.10	4.52	4.33	3.90
	Deltapine	Deltapine	Bayer CropScience- Fibermax	Bayer CropScience- Fibermax	Deltapine	Bayer CropScience- Fibermax	Deltapine
US	DP 555 BG/RR	DP 444 BG/RR	FM 960B2R	FM 958	DP 445 BG/RR	FM 960RR	DP 449 BG/RR
	17.30	13.18	6.00	5.41	4.72	2.21	1.75

Estimated percentage of Upland cotton planted to leading specified brands by growth area, 2006 crop

Southeast	Deltapine	Stoneville	Bayer CropScience- Fibermax	Phytogen	Misc	Paymaster	Sure-Grow
	85.83	8.43	3.11	1.29	0.88	0.25	0.15
South Central	Deltapine	Stoneville	Bayer CropScience- Fibermax	Phytogen	Dyna-Gro	Paymaster	Beltwide Cottor Genetics
	72.28	22.44	2.48	1.23	0.53	0.32	0.30
Southwest	Bayer CropScience- Fibermax	Deltapine	Stoneville	Paymaster	AFD Seed	All-Tex	Americot
	54.79	15.47	8.04	5.65	5.49	3.85	2.21
West	Phytogen	Deltapine	CPCSD	Stoneville	Bayer CropScience- Fibermax	Misc	Dyna-Gro
	35.87	31.71	12.00	8.80	8.22	1.93	1.07
US	Deltapine	Bayer CropScience- Fibermax	Stoneville	Paymaster	AFD Seed	Phytogen	All-Tex
	47.89	26.66	12.21	2.72	2.50	2.23	1.75

9
ă
Z
2
4
-
0
0
0
E
$\overline{\Lambda}$
•
60
0
40
10
*
60
ъ
0
$\sim$
1
8
73
2
2
10
40
-
0
+
10
+
60
-
2
2
40
-
9
7
m
-
(7)
14
70
4
.=
4
13
Ų
0
0
10
-
0
5
1 to
d to
ed to
nted to
nted to
anted to
lanted to
planted to
planted to
n planted to
on planted to
ton planted to
tton planted to
otton planted to
cotton planted to
cotton planted to specified varieties, by states and United States, crop of 2006
d cotton planted to
nd cotton planted to
and cotton planted to
and cotton planted to
pland cotton planted to
ipiand cotton planted to
upiand cotton planted to
fupiand cotton planted to
of upiand cotton planted to
of upland cotton planted to
e of upland cotton planted to
ge of upland cotton planted to
ige of upland cotton planted to
age of upland cotton planted to
itage of upland cotton planted to
ntage of upland cotton planted to
entage of upland cotton planted to
centage of upland cotton planted to
rcentage of upiand cotton planted to
ercentage of upland cotton planted to
percentage of upland cotton planted to
percentage of upiand cotton planted to
I percentage of upiand cotton planted to
d percentage of upland cotton planted to
ed percentage of upiand cotton planted to
ted percentage of upland cotton planted to
ated percentage of upland cotton planted to
nated percentage of upiand cotton planted to
mated percentage of upiand cotton planted to
timated percentage of upiand cotton planted to
stimated percentage of upiand cotton planted to
stimated percentage of upiand cotton planted to
Estimated percentage of upiand cotton planted to
Estimated percentage of upland cotton planted to
. Estimated percentage of upland cotton planted to
1. Estimated percentage of upiand cotton planted to
1. Estimated percentage of upland cotton planted to
e 1. Estimated percentage of upland cotton planted to
ile 1. Estimated percentage of upiand cotton planted to
ble 1. Estimated percentage of upland cotton planted to
able 1. Estimated percentage of upiand cotton planted to
Table 1. Estimated percentage of upiand cotton planted to
Table 1. Estimated percentage of upiand cotton planted to
Table 1. Estimated percentage of upland cotton planted to

	I dule II ho	חוומונים	beiceitas	5						10000	States	2		4	J	2000			
Variety	No. of Street, or other Persons and Street, o	AL.	AZ	AR	<u>~</u>	<u>.</u>	QA O	S S	4	MS	OM	Z Z	S N	Š	SC	Z	×	۸ ۲	UNITED
AFD Seed	AFD 2485	,					,	,	,		,	,					0.50		0.21
AFD Seed	AFD 3070 F	,			,									1.14	,	,			
AFD Seed	AFD 3074 F	,			•							1	,	76.0		1	0.07	,	
AFD Seed	AFD 3511 RR								200			,					3.54		1.52
AFD Seed	AFD 3602 RR		,		,	,			,	,					,	,	1.38	,	09.0
AFD Seed	AFD 5064 F		,	,	•			,					,				0.11	,	
AFD Seed	AFD 5065 B2F	,			٠	•				•	1			0.40	,		90.0		
AFD Seed	AFD 5062 LL				•	•	•						i	ľ					
AFD Seed	EXPLORER		,			-	-	-	•		•			,	,	,			
AFD Seed	Total	•		•										2.51			5.71		2.51
All-Tex	Atlas			,					,				,	0.70			99'0		0.30
All-Tex	Atlas RR			,			•	•		•	•	,	,		,	,	1.22		0.52
All-Tex	Apex B2RF		•			,			•		,		,		,	,	80.0		
All-Tex	Excess RR				,	1	•		,				,		,		0.18		90.0
All-Tex	Marathon B2RF	,	1		,				,	٠	,		,				60:0	,	
All-Tex	Patriot	,	,	,			•			•				0.20	1		60.0		
All-Tex	Patriot RR	,												0.14	,	-1	1.32		0.57
All-Tex	Summit B2RF	•			,			1	,		,						0.05		*
All-Tex	Titan B2RF	,	,	,	,	,	•			•	•		,	,	,	,		•	٠
All-Tex	Top-Pick	,			,	,	•		•				,	,		,			
All-Tex	Warrior	,	,	,	,		,	,					,	,	,	,			
All-Tex	Xuress				,									000		,			
\\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\	Xoross DD													3			0.07		
All-Tex	A5039 BGBE		,										•		•		0.07		80.0
All Tox	TOPO BOOK						-	-	-		1	-				'	6.13		0.00
All-lex	rotai						'				-			1.13			4.03		1./6
Americot	AMX 262R		٠				,			,	,	,	,	,	,	,	0.25		0.11
Americot	AMX 427R	,	•		,	1	-			,				,			•		*
Americot	AMX 821R	,				,				•						,	1.08		0.47
Americot	AMX 1504 B2RF		1		,						,	,					0.05	•	•
Americot	AMX 1532 B2RF	1		•											,		0.32		0.14
Americot	AMX 1621						1	,	1					,			0.51		0.22
Americot	AMX 8120					-	-					-					0.13		90:00
Americot	Total																2.35		1.01
Bayer CropScience-Fibermax	FM 800B2R		1				,	1	,					,			1.46	r	0.63
Bayer CropScience-Fibermax	FM 800RR			,			,	1		•	,		•		,	,	0.31		0.13
Bayer CropScience-Fibermax	FM 832	,	,		,	,	1	,		•							3.97		1.71
Bayer CropScience-Fibermax	FM 832B				•	,				•				•		,	0.64		0.28
Bayer CropScience-Fibermax	FM 832LL	•					•		0.57	•	1	,	•		,		2.95		1.30
Bayer CropScience-Fibermax	FM 955LLB2		0.35		0.32	•				,		,		,					
Bayer CropScience-Fibermax	FM 958	1	1	1		t							0.12	,			12.60		5.43
Bayer CropScience-Fibermax	FM 958B			0.73	•			•		•	•				,	,	0.13	0.25	0.11
Bayer CropScience-Fibermax	FM 958LL						•	1		•		,	0.23		ı	,	3.61	29.0	1.58
Bayer CropScience-Fibermax	FM 960B2	90.0	,	1.13	•					,	,		0.07	,		•	0.07		0.12
Bayer CropScience-Fibermax	FM 960B2R	0.43	0.13		1	,		•	90.0	0.13		0.68	92.0	42.47	,		11.82		6.02
Bayer CropScience-Fibermax	FM 960BR	1.52	,	,	,		99.0	3.33	96.0	0.74			0.18	2.44	0.55	4.35	2.73	1.18	1.70
Bayer CropScience-Fibermax	FM 960RR	06:0		0.26	1	09.0	0.26	1	,	60.0	,		0.10	0.17	,	90.0	4.92	,	2.22
Bayer CropScience-Fibermax	FM 965LLB2						•								,		0.79		0.34
Bayer CropScience-Fibermax		1	1.39								1	,	0.05		,		41	,	
Bayer CropScience-Fibermax	FM 966LL	,		0.74	0.08		0.20		0.19	1.04	-	-				•	0.17		0.25
								.3											

Table 1. Continued

rapie i. continued																			
Variety		AL.	AZ	AR	5	7	GA	KS	Y	MS	MO	N N	NC	X	SC	Z F	×	A>	UNITED
Bayer CropScience-Fibermax	FM 981LL		0.13			,		-				-				,	0.17		0.07
Bayer CropScience-Fibermax	FM 988LLB2		0.74		•	,	,		•	1	,	,		1				,	
Bayer CropScience-Fibermax	FM 989	0.22	,	,	'	,		•	0.26	•	,					,	2.31	1.33	1.02
Bayer CropScience-Fibermax	FM 989B2R	60.0	0.77	,	ı		,	'			,	55.88		99.0	,		3.02	1.18	1.52
Bayer CropScience-Fibermax	FM 989BR	60:0	60.0	1	,	,	0.28	•	*	'	,	1	99.0		,		0.35	29.0	0.23
Bayer CropScience-Fibermax	FM 989RR		,	,	'		0.31			•		,	0.07			•	3.61	,	1.59
Bayer CropScience-Fibermax	FM 991B2R	98.0			٠	•				•	•	•					*	,	
Bayer CropScience-Fibermax	FM 991BR		,				1.12	,		•	•			٠	,		,		0.11
Bayer CropScience-Fibermax	FM 991RR	1.09			,	,	0.17	1	,	,	,	,		1	0.16	,	*	,	80.0
Bayer CropScience-Fibermax	FM 5024BXN	,	,	,					,	,	,	,		,		•			
Bayer CropScience-Fibermax	FM 5035LL	,			•	1	٠		٠		,	,	,	,					*
Bayer CropScience-Fibermax	FM 9058F		0.18		,			,	,	•		,		,			0.15		0 0
Bayer CropScience-Fibermax	FM 9060F	٠	,		٠		,	٠	,	•	٠		,	,					
Bayer CropScience-Fibermax	FM 9063B2F		3.30		0 15	'	,	1	0.34			0.68		,	1 16		0.00		0 44
Bayer CropScience-Fibermax	FM 9068F		0.18						,			3 ,		,	2 '		3 '		
Bayer CropScience-Fibermax	Total	5.26	7.29	2.90	0.56	09.0	3.03	3.33	2.42	1.99		57.24	2.31	45.73	1.88	4.43	56.02	5.28	26.74
Beltwide Cotton Genetics	BCG 24R			,	,	-	,		,	-	-	,	,				0.28		0.12
Beltwide Cotton Genetics	BCG 28R	,	•		,			,	0.32	0.21	,	•					0.22		0.13
Beltwide Cotton Genetics	BCG 30R	٠	,		•	٠	•	٠			,			,			0.26		0 11
Beltwide Cotton Genetics	BCG 50R				,		•			,	,	,					0.12		0.05
Beltwide Cotton Genetics	BCG 245				,												21.0		2,00
Relivide Cotton Genetics	BCG 520D																000		00
Delivide Conor Certains	חואי לבסכחי				'					•									
Bellwide Collon Genetics	DVC-1303RF						•			1						,			
Beltwide Cotton Genetics	BW-2038B2F						•	1		•		•					90.0	•	
Beltwide Cotton Genetics	BW-3255B2F		ı		,	•		1	0.14	•			•		٠	,	0.12	,	90.0
Beltwide Cotton Genetics	BW-4021B2F					i			0.05	•							0.07		
Beltwide Cotton Genetics	BW-4630B2F		,		•		,	•	0.47		0.63	٠	,	0.08	·		0.45	,	0.24
Beltwide Cotton Genetics	BW-6896B2F				•	1					,					•			
Beltwide Cotton Genetics	BW-8391B2F		,		•		-	•	,	,		•		•		•			
Beltwide Cotton Genetics	BW-9775B2F	•					•		•								90.0		
Beltwide Cotton Genetics	Total	•							86.0	0.25	0.63			0.13			2.08		0.98
CPCSD	Acala Daytona RF		,		3.62	-	٠	-											0.08
CPCSD	Acala Fiesta RR		,		8.47		•	٠							1	,			0.18
CPCSD	Acala NemX		,		0.34	,				1							,	,	
CPCSD	Acala Riata RR				4.92		,			•									0.10
CPCSD	Acala Sierra RR		,	1	3.70		•	٠					,						80.0
CPCSD	Acala Ultima		•		0.08	•	•	•					•						
CPCSD	Acala Ultima EF				0.48				•						1.			,	
CPCSD	Acala Ultima RF				0.87		٠		•			•		,			•		
CPCSD	Total				22.49														0.47
Croplan Genetics	CG 3020 B2RF		,					,									0.51		0.22
Croplan Genetics	CG 3520 B2RF	,					0.05										0.10		
Croplan Genetics	CG 4020 B2RF			0.17			0.09	-	0.79		0.17								0.07
Croplan Genetics	Total			0.17			0.14		0.85	*	0.17						0.63		0.34
Deltapine	DeltaPEARL	0.07			٠														
Deltapine	Deltapine Acala 90		,				•		,					1	,		0.59		0.25
Deltapine	DP 20 B					•	•										0.43		0.18
Deltapine	DP 108 RF		-					0.11					90.0				90.0		

Table 1. Continued

Variety		N I V	A7	QV	00	ī	- "	000	-	-	-		-						
		7	4	¥	5	<u> </u>	ey S	SS S	≤	MS.	MO	NZ.	S	Š	SC	Z Z	X	VA VA	UNITED
Deltapine	DP 110 RF		0.32		0.19								1.				200	000	SIAIES
Deltapine	DP 113 R2RF			0.44	2			, ,		•	, ,				, (		0.0	0.22	B.
Conjugation	13 DZ 10 DZ			0.44				1.53	0.36		0.55		0.61	0.46	98.0		•	29.0	0.16
Deltapine	DP 117 B2RF		0.16	0.51		1		•	0:30	0.85	ē		0.79	1.23	80.0		0.12	-	0.25
citability of the state of the	DF 143 BZRF	. !	0.19	0.18				0.33	1.1	0.48		1.36	1.29	4.84	4.62		09.0	,	0.64
Dellapine	DP 14/ RF	0.17	0.18			1	0.05	•	0.49	0.43			0.05	0.11	0.21	,	0.22		0.17
Dellapine	DP 156 BZRF												,		0.50				
Deltapine	DP 164 B2RF		8.95		0.51			•	1.75	2.21		89.0	0.32	0.25	0.83		0.20		0.49
Deltapine	DP 167 RF		0.49	0.11				,		1.09					0.52	,			0.12
Deltapine	DP 388		1.31					,			,			,					
Deltapine	DP 393		0.32	٠							,		0.31				0.17	0.47	0.10
Deltapine	DP 422 B/RR	1.27																	900
Deltapine	DP 424 BGII/RR	,	,	1	,	1	900	,	200				0,0				000		0.00
Deltapine	DP 432 RB	2.46	0.65	1 27					4 55				0.10				67.0	, ;	0.14
Deltapine	DP 434 PP	200	20.00	1 90			16.0	, ,	CC.1	3.47	8.41		3.39		0.84	2.24		99.5	1.29
Dollarino	DD 436 DD	02.1	60.0	00.1	ı			7.33	1.52	3.95	'		3.10	0.27	1.58	1.01	69.0	10.39	1.23
endpine	DF 430 KK	1.64	. !	3.59			0.07			0.14			0.27				0.17		0.45
Deltapine	DP 444 BG/RR	20.41	1.77	29.30	09:0	1.28	3.04	0.56	2.00	13.18	31.16		36.91	4.26	9.59	70.41	3.40	45.85	13.23
Deltapine	DP 445 BG/RR	2.00	1.98	18.14			1.23	,	8.72	15.09	8.72	9.48	10.24	69.0	2.28	5.07	0.54	9.10	4.74
Deltapine	DP 448 B		10.46	,			0.24	,	90.0				,	0.17	,		,		0.13
Deltapine	DP 449 BG/RR	4.16	25.90		4.84	0.30	1.37	•	2.49	0.18		1.36	9.18	60.0	4.47	1.86	0.25	3.54	1.64
Deltapine	DP 451 B/RR	0.70			0.22	,	20.0	,			,		0.83			•		1.66	0.10
Deltapine	DP 454 BG/RR	1.33	,	0.68			0.46	,	0.47	2.32			1.50		2.41	,	0.08	0.54	0.53
Deltapine	DP 455 BG/RR	3.21	8.44	1.40		,	2.01	,	0.37	0.75	0.42	3.78	3.28		6.13		0.65	3.64	1.23
Deltapine	DP 458 B/RR	1.72		•	•		0.19	,								,			0.10
Deltapine	DP 468 BGII/RR	0.07					0.45	,				,							
Deltapine	DP 488 BG/RR	1.01				0.98	0.16	•	0.05	0.12		0.83	0.21		0.48		1.34		29.0
Deltapine	DP 491	0.19	,	1				-		1		,			_		0.18		60.0
Deltapine	DP 493	,	,	90.0	,		0.21	,	0.32		,			,			20.0	1	0.07
Deltapine	DP 494 RR	0.43	,	0.12	,	1	2.38	,	1.14	0.91	•	,	0.13	0.10	_		0.15	,	0.47
Deltapine	DP 515 BG/RR		,	1		96.0	0.63	,		0.14	1	,	0.10			,			0.12
Deltapine	DP 543 BG II/RR	. /	0.21						,			1 -			_	,	,		
Deltapine	DP 555 BG/RR	33.91	1.45	7.61	1.38	82.34	76.67	1	56.63	31.55	89.0		8.95				2.48	0.29	17.37
Deltapine	DP 565	,	3.21	,	•	•	,	•		69.0			•					1	60.0
Deltapine	DP 655 B/RR	0.73	1.95	,				•				1.02	0.14	-				,	0.10
Deltapine	DP 2379						,	-	1	1	,		,	_		,			
Deltapine C	DP 5415	0.22	,		0.53		60.0	•					,				0.43		0.21
Deltapine	DP 5415 RR		,	1	90.0	10.73					1			_		•	0.80	,	0.43
Deltapine	DP 5690	. 0	,			0.30	90.00	,		,			,	-	+		1.25	1	0.55
Deltanine	Total	77.54	CB 54	65 30	0 24	. 00	0.47				-		60.0	+	+	+	0.33	-	0.24
Dyna-Gro	DG OA265 BR		1000	07.50	1 78	30.31	60.16	3.00	02.43	90.77	48.84	05.81	81.91	+	+	80.59	15.72	82.04	47.80
Dyna-Gro	DG 2100 B2RF	,		0 11	. '					. 0		05 		_	_		1 (	,	
Dyna-Gro	DG 2215 B2RF							, ,		÷ .			,		-	,	0.15	,	0.15
Dvna-Gro	DG 2242 B2RF		,	,										_					cn.n
Dyna-Gro	DG 2520 B2RF			0.25					0.42	0.32	0.55					, ,	0.21		0.09
Dyna-Gro	Total			0.35	1.78				0.42	1.06	0.55	1.36		+	+	1.	0.61		0.51
Paymaster	PM HS 26		,			,						1		╀	+		0 11		
Paymaster	PM 280	,	-	,					,				,		_		0.25	,	0 11
Paymaster	PM 1199 RR	,	•	0.25		,		-	,	,	1			_				1.18	
Paymaster	PM 1218 BG/RR	0.73		0.54			0.07		0.16		0.17		0.20		0.05	0.34			0.12
Paymaster	PM 1360 BG/RK				•			. !		+	+	-	-	+	+	-		1	
dymaster	ייוסט עדו זייו ז			-				4.11				-	-	90.0	-		0.11	-	0.07

Table 1. Continued

Variety Paymaster		AL	AZ	AR	CA	FL	GA	KS	5	MS	MO	NZ NZ	NC	Š	SC	N	X		UNITED
Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster																		+	2177
Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster	PM 2145 RR							40.12		+		1-			-		0.54	-	0 40
Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster	PM 2167 RR	,		,		,		3.56		-		_		- 0 44	_		0.01		0.40
Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster Paymaster	2266							1 22				-		1 000			2 .		50.0
Paymaster Paymaster Paymaster Paymaster Paymaster Phytogen	2280		,	1			•	55.7	'	_		_	1	0.22			89.0	_	0.30
Paymaster Paymaster Paymaster Paymaster Phytogen	PM 2326 BG/PP							****		_		_	•	51.11			1.23		0.79
Paymaster Paymaster Paymaster Phytogen	2326							1 33		_				0.47			0.19		0.09
Paymaster Paymaster Phytogen	2344							} ,		-		_					0.70	-	6.04
Paymaster Phytogen	PM 2379 RR	,		1		,		1		_				0.82			0.50		0.23
Phytogen	Total	0.73		0.79			0.09	55.89	0.16	$\vdash$	-	+-	0.20	13.11			4.52	+-	2.73
	NM 1517-99W Acala		1							$\vdash$	_	-						+	
Phytogen	PHY 72 Acala	,			32.49														0.68
Phytogen	PHY 78 Acala	,	,	,	06.90					_									20.00
Phytogen	PHY 125 RF				3									•			1	_	41.0
Dh. to	DUV 240 D				1				, ,	_		-	. !					_	
Lilytogen	7012 TH			0.13			. !		0.12	_		_	20.0						0.10
Phytogen	3/0			0.19		'	0.77		•	_		_	0.35	1					0.12
Phytogen	PHY 410 R	,	'		,		0.30			_			0.14	,				_	60.0
Phytogen	PHY 425 RF	,		0.05		-		,		_		-		,				_	
Phytogen	PHY 440 W	•	-	,	,		-			_		_		1			0.12	_	0.05
Phytogen	PHY 470 WR						0.17					_	٠	,			0 14	_	0 13
Phytoso	DHV 480 WD						0.55					_	,	1			± 000	_	2
	DHV 496 WDF						60.00			_		_		ı			0.20	_	0.10
Liyogeii	TAV 662 THT						. ;						0.27	1			,		0.14
Phytogen	510		'	. 19		,	0.44				_	-	,	,				_	•
Phytogen	PHY 710 R Acala			1	8.11	1					_	-	1						0.17
Phytogen	PHY 715 RF	1			3.13				-	_							,	_	0.07
Phytogen	PHY 725 RF				14.09					_	_		•	,					0.29
Phytogen	PHY 745 WRF	1								_							,		
Phytogen	Total			0.54	64.71		2.33				-	1	0.91		П		0.46	1	2.24
Stoneville	BXN 47	0.48	,	,					T	Н	┺	Н			Т			+	
Stoneville	MCS 0419 R2RF											_							100
Stoneville	MCS 0420 B2BE												,	'			0.13		0.00
Colecting	0450			'	0.74	,		•											
Stoneville	MCS 0423 B2RF		0.31					,	•									_	
Stoneville	MCS 0426 B2RF		96.0	•						_									
Stoneville	NG 1553 R							23.67				-					1.13		0.65
Stoneville	NG 2448 R	,		,				4.44				_		0.11			2.39	_	1.06
Stoneville	NG 3273 B2RF							0.11	•			-		2.80			0.20		0.14
Stoneville	NG 3550 RF			•	,												0.21		60.0
Stoneville	NG 3969 R					•								0.50					
Stoneville	ST 457		2.52		,			-											
Stoneville	ST 474		60.0	,					,			_					'		*
Stoneville	ST 1553 R						0.16	0.89					,	0.22			0.22		0.12
Stoneville	ST 2448 R			,	1			5.78					,	3.09			0.59		0.35
Stoneville	ST 2454 R		,	,							_	_	,	0.65			0.20		0.10
Stoneville				,		,								3					
Stoneville	3636																74.0		90 0
Stoneville	ST 4357 B2RF		0.47						0.65				. 0				0.10		0.0
Stoneville	AFEA		27.5	, ,			•	•	0.00		_		0.00	0.17			0.02		0.17
Supplied to the supplied to th	1		41.7	7.80	0.90	1	,		1.45			-	3.72	6.28			0.58		1.89
Stoneville	45/5	0.16	1.99	0.91		,		-	0.15		_		2.84						69.0
Stoneville	ST 4646 B2R			0.21			0.17			_	_						90.0	-	0.08
Stoneville	4664	60.0	1.67	0.21					0.16				0.14	0.17			0.16		0.22
Stoneville	4700								•				•	•					
Stoneville		99.0		2.07							0.49						60.0		0.24
Stoneville	S1 4686 K	0.14	-	0.27	,				0.13	-	_	_	0.17	-					0.08

-9-

penu
ontir
ŭ
ble 1
8

Variety		AL	AZ	AR	CA	7	GA	KS	4	MS	MO	ΣZ	S	Ą	SC	Z L	×	Α Υ	UNITED
Stoneville	ST 4892 BR	1 68	,	3.27			0.44	,	•	0.81	0.19	1.36	0.10	4.14	0 19	1.36	0.05	2.39	0.63
Stoneville	ST 5007 B2RF		•		•	•				0.13	•	•		,			,	1	٠
Stoneville	ST 5454 B2R	,	0 78	0.74	,	,	,	•		•	•			,	,	,		,	0.07
Stoneville	ST 5242 BR	68.9	0 10	4.10	0.21	,	0.24		0.25	3.91	7.59		2.57		0 16	0.17	,	3 15	1.37
Stoneville	ST 5303 R	•	0 22		ı	,								,	,	,	,	'	•
Stoneville	ST 5599 BR	3.88	6 87	15.19	,	0:30	0.37		7.88	9.14	14.72		4.25	1.69	1.11	1.80	0 74	2 34	3.73
Stoneville	ST 6611 B2RF		1.19	•	,	,	0.27		0.79			•	0.28		4.79			,	0.19
Stoneville	ST 6622 RF	0.10	•	•	,		0.25		•	•	,		'	,	1.12		•	1	90.0
Stoneville	ST 6848 R	,	90.0	•	•	,	0.10	-			,				,	,		,	•
Stoneville	Total	14.08	19.98	29.82	1.90	0.30	2.05	34.90	11.47	16.12	48.55	3.66	14.67	19.82	11.35	13.47	7.07	10.28	12.18
Sure-Grow	SG 96	·	0.12					,	,		,	,	'	,	,			,	
Sure-Grow	SG 105	,	90.0				,	4	•	,		,					,		•
Sure-Grow	SG 215 BG/RR	0.47	•		,		•				1			ı	,	•	,	,	•
Sure-Grow	SG 501 BR	,	1	,	,					,	,	1	1	1			•	,	•
Sure-Grow	SG 521 R	0.14	,		,	,	0.05	,	•	•				,	0.18				
Sure-Grow	SG 821	•	0.16	•	٠		,		•	,	•	,	1	,	,	1	•		
Sure-Grow	Total	0.61	0.34	-	٠		0.07	٠	*						0.18				
Misc	Misc	1.81	3.88	0.11	0.22	2.19	1.20	2.22	•	*		3.83	•	0.82		96.0	0.78		89.0
	TOTAL	100 00	100 00	100.00	100 00	100 00	100 00	100 00	100 00	100 00	100 00	100 00	100	100 00	100	100 00	100 00	100 00	00
Total Transgenics		97.71	87.23	99.83	59.12	97.51	98.35	97.78	99.64	99.29	100.00	82.82	69.66	98.19	96.96	99.04	92.95	99.53	95.46
* Less than .05 percent Note Totals	Totals may not add due to rounding	nding																	

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

	Bayer													
	CropScience-		Bayer CropScience						Bayer CropScience-		Bayer CropScience-			
	Fibermax	Deltapine	Fibermax	Deltapine	AFD Seed	Paymaster	AFD Seed	Deltapine	Fibermax	Paymaster	Fibermax	Deltapine		
STATE	FM 958	DP 444 BG/RR		DP 488 BG/RR	AFD 3511 RR	PM 2280 BG/RR	AFD 3602 RR	DP 5415 RR	FM 960RR	PM 2145 RR	FM 800B2R	DP 555 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	00:00	00.00	0.56	3,33	0.00	00.00	5.44	00.00	00.00	0.00	40.12	00.00	50.55	100.00
Oklahoma	42.47	00.00	4.26	2.44	0.05	00.00	11.13	0.00	00.00	0.17	00.00	00.00	39.49	100.00
Texas	26.94	9.32	7.74	6.64	5.94	4.94	1.72	3.93	3.53	3.25	00.00	2.40	23.64	100.00
OFFICE TOTAL	28.07	7.16	6.72	5.72	4.57	3.80	3.57	3.02	2.71	2.53	2.32	1.84	27.97	100.00

NOTE. Totals may not add due to rounding

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

TOTAL	PCT	100.00	100.00	100.00
ОТНЕК	PCT.	17.87	2.80	16.15
Stoneville ST 4892 BR	PERCENT	1.68	00.00	1.49
Deltapine DP 458 B/RR	PERCENT	1.72	00.00	1.52
Deltapine DP 5415 RR	PERCENT	00.00	15.33	1.75
Deltapine DP 445 BG/RR	PERCENT	2.00	0.00	1.77
Misc Misc	PERCENT	1.81	3.13	1.96
Deltapine DP 432 RR	PERCENT	2.46	00.0	2.18
Deltapine DP 455 BG/RR	PERCENT	3.21	0.00	2.84
Stoneville ST 5599 BR	PERCENT	3.88	00.00	3.44
Deltapine DP 449 BG/RR	PERCENT	4.16	0.00	3.68
Stoneville ST 5242 BR	PERCENT	6.89	0.00	6.10
	PERCENT	20.41	1.40	18.24
Deltapine DP 555 BG/RR	PERCENT	33.91	77.34	38.87
STATE		Alabama	Flonda	OFFICE TOTAL 38.8

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

		TOTAL	PCT.	100.00
		OTHER		18.27
	Deltapine	DP 20 B	PERCENT	2.48
	Misc	Misc	PERCENT	2.79
	Americot	AMX 1621	PERCENT	2.95
	Deltapine	DP 455 BG/RR	PERCENT	2.97
Bayer CropScience-	Fibermax	FM 832B	PERCENT	3.66
Bayer CropScience-	Fibermax	FM 960B2R	PERCENT	4.25
Bayer CropScience-	Fibermax	FM 989	PERCENT	4.28
	Deftapine	DP 444 BG/RR	PERCENT	5.01
Bayer CropScience	Fibermax	FM 800B2R	PERCENT	5.55
	Deltapine	DP 555 BG/RR	PERCENT	9.13
Bayer CropScience-	Fibermax	FM 832LL	PERCENT	16.64
Bayer CropScience-	Fibermax	FM 832	PERCENT	22 02
		STATE		Texas

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Deltapine DP 434 RR	Stoneville ST 5242 BR	Deltapine DP 454 BG/RR	Deltapine DP 432 RR	Deltapine DP 164 B2RF	Deltapine DP 455 BG/RR	Stoneville ST 4575 BR	Deltapine DP 167 RF	ОТНЕВ	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT
	19.09	25.63	25.23	15.97	1.17	2.73	1.95	00.00	00.00	2.70	0.00	0.31	5.22	100.00
	33.61	16.03	12.91	9.78	4.40	3.00	2.56	2.79	2.28	0.78	1.66	1.20	8.99	100.00
OFFICE TOTAL	29.62	18.66	16.29	11.48	3.51	2.93	2.39	2.02	1.65	1.31	1.20	96.0	7.97	100.00

NOTE Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE         Deltapine         Deltapine         Deltapine         Deltapine         Stoneville         ST 5599 BR         ST 4           Carolina         36.91         8.95         10.24         9.18         3.28         4.25         4.25           Carolina         45.85         0.29         9.10         3.54         3.64         2.34           ETOTAL         17.02         8.99         7.64         3.64         2.34						
Deltapine         Deltapine         Deltapine         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Stoneville         Deltapine         Stoneville         Stone	TOTAL	PCT	100.00	100.00	100 00	400 00
Deltapine         Deltapine         Deltapine         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Deltapine         Stoneville         Stoneville         Deltapine         Stoneville         Stone	OTHER	PCT	10.27	19.35	13.62	12.67
Deltapine         Deltapine         Deltapine         Stoneville			1.29	4.62	00.00	1 97
Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Stoneville         Stoneville         Stoneville         Deltapine	Stoneville ST 5242 BR	PERCENT	2.57	0.16	3.15	2.05
Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Stoneville         Stoneville         Deltapine           DP 444 BG/RR         DP 445 BG/RR         DP 445 BG/RR         DP 445 BG/RR         DP 445 BG/RR         DP 444 RR	Stoneville ST 4575 BR	PERCENT	2.84	0.28	2.40	221
Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Stoneville         Stoneville </td <td>Deltapine DP 432 RR</td> <td>PERCENT</td> <td>3.39</td> <td>0.84</td> <td>5.66</td> <td>2.97</td>	Deltapine DP 432 RR	PERCENT	3.39	0.84	5.66	2.97
Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Stoneville           DP 444 BG/RR         DP 555 BG/RR         DP 445 BG/RR         DP 449 BG/RR         DP 455 BG/RR         ST 5599 BR           PERCENT         PERCENT         PERCENT         PERCENT         PERCENT         PERCENT           36.91         8.95         10.24         9.18         3.28         4.25           9.59         46.27         2.28         4.47         6.13         1.11           45.85         0.29         9.10         3.54         3.64         2.34           31.20         17.02         8.29         7.64         3.08         3.24	Deltapine DP 434 RR	PERCENT	3.10	1.58	10.39	3.31
Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Deltapine         Deltapine           PERCENT         PERCENT         PERCENT         PERCENT         PERCENT         PERCENT         PERCENT           36.91         8.95         10.24         9.18         3.28           9.59         46.27         2.28         4.47         6.13           45.85         0.29         9.10         3.54         3.64           31.20         17.02         8.29         7.64         3.68	Stoneville ST 4554 B2RF	PERCENT	3.72	3.31	00.00	3,33
Deltapine         Deltapine <t< td=""><td>Stoneville ST 5599 BR</td><td>PERCENT</td><td>4.25</td><td>1.11</td><td>2.34</td><td>3.36</td></t<>	Stoneville ST 5599 BR	PERCENT	4.25	1.11	2.34	3.36
Deltapine         Deltapine         Deltapine           DP 444 BG/RR         DP 555 BG/RR         DP 445 BG/RR           PERCENT         PERCENT         PERCENT           36.91         8.95         10.24           9.59         46.27         2.28           45.85         0.29         9.10           31.20         17.02         8.29	Deltapine DP 455 BG/RR	PERCENT	3.28	6.13	3.64	3.98
Deltapine DP 444 BG/RR DP 555 BG/RR PERCENT RECENT 36.91 8.95 9.59 46.27 45.85 0.29	Deltapine DP 449 BG/RR	PERCENT	9.18	4.47	3.54	7.64
Deltapine DP 444 BG/RR PERCENT 36.91 9.59 45.85	Deltapine DP 445 BG/RR	PERCENT	10.24	2.28	9.10	8.29
	31	PERCENT	8.95	46.27	0.29	17.02
STATE orth Carolina outh Carolina riginia FFICE TOTAL	Deltapine DP 444 BG/RR	PERCENT	36.91	9.59	45.85	31.20
zűső	STATE		North Carolina	South Carolina	Virginia	OFFICE TOTAL

NOTE: Totals may not add due to rounding

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

TOTAL	PCT.	100.00
ОТНЕК	PCT.	22.58
Stoneville ST 5599 BR	PERCENT	2.26
Bayer CropScience- Fibermax FM 989RR	PERCENT	2.33
Bayer CropScience- Fibermax FM 989BR	PERCENT	2.44
Bayer CropScience- Fibermax FM 989	PERCENT	3.09
Deltapine DP 555 BG/RR	PERCENT	3.26
Bayer CropScience- Fibermax FM 958LL	PERCENT	3.27
Deltapine Deltapine Acala 90	PERCENT	4.13
Bayer CropScience- Fibermax FM 989B2R	PERCENT	5.62
Bayer CropScience CropScience-Fibermax Fibermax FM 960BR FM 989B2R	PERCENT	6.35
	PERCENT	6.72
Bayer CropScience- Fibermax FM 960B2R	PERCENT	96.6
Bayer CropScience- Fibermax FM 958	PERCENT	27.99
STATE		Texas 27.99

NOTE: Totals may not add due to rounding

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

The state of the s	STATE OF THE PERSON NAMED IN COLUMN NAMED IN C	-							200 - Jane (2000)					
	Bayer	Bayer			Bayer			Bayer						
	CropScience	CropScience	Bayer CropScience	Bayer CropScience Bayer CropScience CropScience	CropScience-			CropScience			Bayer CronScience			
	Fibermax	Fibermax	Fibermax	Fibermax	Fibermax	AFD Seed	Stoneville	Fihermax	All-Toy	Stonevulle	Eibemay	Amorical		
STATE	FM 958	FM 960B2R	FM 960RR	FM 989RR	FM 958LL	AFD 3511 RR	NG 2448 R	FM 989B2R	Patriot RR	NG 1553 R	FIN ORO	AMAY 821B	GHUTC	IVECT
	PERCENT	PEDCENIT	1 DEDOCKIT	TIVIOUG	TITUOUS	1.10000				1000101	COC IN I	VIII 70 VIIIV	01115	7
				ואום	TERCEN.	PERCEN	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
1	-	0	(											
lexas	14 63	8.63	8.31	6.21	6.14	4.68	4.60	4 43	2 64	2.26	202	201	22 44	100 00
						A STATE OF THE PERSON NAMED IN COLUMN 1				27.7	70.7	10.7	++.00	00.001

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

Į.	Ŀ	0	8 8	8 6	20.
	-		100.00		_
	1		7 08	7.00	70.
Phytogen PHY 480 WR	PERCENT	000	0.65	0.00	20.0
Bayer CropScience- Fibermax FM 960BR					
Phytogen PHY 370 WR	PERCENT	00.00	0.77	0.75	21:0
Deltapine DP 432 RR	PERCENT	0.00	0.91	0.89	
CropScience- Fibermax FM 991BR	PERCENT	00.0	1.12	1.10	
Misc Misc	PERCENT	0.00	1.20	1.17	The second secon
ä	PERCENT	0.00	1.23	1.20	
Deltapine DP 449 BG/RR	PERCENT	1.00	1.37	1.36	
Deltapine DP 455 BG/RR	PERCENT	00.00	2.01	1.97	
Deltapine DP 494 RR	PERCENT	0.00	2.38	2.33	
Deltapine DP 444 BG/RR	PERCENT	1.00	3.04	3.00	
Deltapine DP 555 BG/RR	PERCENT	94.00	76.67	77.03	
STATE		Florida	Georgia	OFFICE TOTAL	1 1 1 1 1 1 1 1 1

NOTE: Totals may not add due to rounding

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

TOTAL	PCT.	(	100.00	100.00	100.00	100.00	100.00
OTHER	PCT		12.44	36.21	7.02	4.86	9 94
Deltapine DP 434 RR	PERCENT	(	2.20	00:00	00.00	1.01	1.15
Stoneville ST 4793 R	PERCENT	0	3.22	00.00	0.49	0.00	1.29
Deltapine DP 436 RR	PERCENT	L	4.35	00.00	00.00	00.00	1.58
Bayer CropScience- Fibermax FM 960BR	PERCENT	o o	00.0	5.26	00.00	4.35	1.77
Stoneville ST 4575 BR	PERCENT	,	1.41	00.00	6.63	96.0	2.42
Stoneville ST 4892 BR	PERCENT	ú	5.09	8.97	0.19	1.36	2.84
Deltapine DP 432 RR	PERCENT	107	/B.	11.22	8.41	2.24	4.09
Stoneville ST 5242 BR	PERCENT	00	4.30	13.01	7.59	0.17	4.35
Stoneville ST 4554 B2RF	PERCENT	2 67	3.07	0.00	15.08	7.77	7.60
Deltapine DP 445 BG/RR	PERCENT	14.04	14.21	1.28	8.72	5.07	9.05
Stoneville ST 5599 BR	PERCENT	14 96	20.4	3.85	14.72	1.80	9.74
Deltapine DP 444 BG/RR	PERCENT	31.67	20.10	20.19	31.16	70.41	44.18
STATE			Alkalisas	Mississippi	Missoun	Tennessee	OFFICE TOTAL
	Deltapine Stoneville Deltapine Stoneville Deltapine Stoneville DP 445 BG/RR ST 5599 BR DP 459 BR D	Deltapine Stoneville Deltapine Stoneville St	STATE DEHADING Stoneville Deltapine Stoneville Stonevil	Deltapine Stoneville Deltapine Stoneville Stoneville Stoneville Deltapine Stoneville Deltapine Stoneville Deltapine Stoneville Deltapine Stoneville Deltapine Stoneville Deltapine Stoneville DP 444 BG/RR ST 5599 BR ST 4575 BR FM 960BR DP 436 RR ST 4793 R DP 434 RR OTHER PERCENT	STATE         Deltapine         Stoneville         Stoneville <th>  Doltapine   Stoneville   Stoneville   Stoneville   Stoneville   Stoneville   Stoneville   Deltapine   Stoneville   Stoneville   Deltapine   Stoneville   Stonev</th> <th>  Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Stoneville   Deltapine   Stoneville   Stonevill</th>	Doltapine   Stoneville   Stoneville   Stoneville   Stoneville   Stoneville   Stoneville   Deltapine   Stoneville   Stoneville   Deltapine   Stoneville   Stonev	Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Deltapine   Stoneville   Stoneville   Deltapine   Stoneville   Stonevill

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varietie

	able 11. Thornix classing office. Estimated percentage of cotton acreage planted to specified varieties, crop of 2000	and onice.	Estimated	heirentahe	ח בחווחו מ	creage pra	nea to spe	cilied variet	ies, crop or	2002				
STATE	Dettapine DP 449 BG/RR	Bayer CropScience- Fibermax FM 989B2R	Deltapine DP 448 B	Deltapine DP 164 B2RF	Deltapine DP 455 BG/RR	Stoneville ST 5599 BR	Misc Misc	Deltapine DP 445 BG/RR	Deltapine DP 565	Bayer CropScience- Fibermax FM 9063B2F	Phytogen Stoneville NM 1517-99W Acala ST 4554 B2RF	Stoneville ST 4554 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Anzona	25.42	0.75	10.27	8.79	8.71	6.75	3.89	1.59	3.16	3.31	0.00	2.69	24.66	100.001
California	82.56	00.00	0.00	8.72	00.00	0.00	3.72	00.00	0.00	00.00	00:00	0.00	5.00	100.00
New Mexico	1.36	55.88	00:0	0.68	3.78	00:00	3.83	9.48	00.00	99.0	13.36	0.41	10.55	100.00
Texas	9.67		00:00	4.66	1.50	00.00	3.90	1.47	8.64	00.00	0.00	00.00	11.70	100.00
OFFICE TOTAL 24.49	24.49	11.63	7.61	7.30	7.13	5.00	3.87	2.82	2.59	2.57	2.25	2.06	20.69	100.00
H LHOIT												The state of the s		

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotte

rapie iz. Natyme classing office. Estimated percentage of cotton acreage planted to specified varieties, crop of zono	ayville class	only onice.	Estimateu	heicelliage	טו בטווטה מ	icieage pia	ads or paru	ciried varie	ties, crop or	2002				
STATE	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Stoneville ST 5599 BR	Deltapine Deltapine DP 449 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 434 RR	Deltapine DP 432 RR	Stoneville ST 4554 B2RF	Deltapine DP 143 B2RF	Deltapine DP 494 RR	Phytogen PHY 485 WRF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	45.50	4.90	6.70	15.60	2.60	0.00	4.40	0.00	3.80	5.00	0.00	9.50	2.00	100.00
Louisiana	56.63	8.72	7.88	5.00	2.49	1.75	1.52	1.55	1.45	1.11	1.14	0.97	9.79	100.00
Mississippi	46.15	28.73	6.34	00.00	00.00	6.63	2.67	0.00	00.00	00.00	0.56	00.00	8.91	100.00
OFFICE TOTAL	55.94	9.70	7.79	4.87	2.36	1.98	1.61	1.45	1.40	1.10	1.10	1.02	99.6	100.00

NOTE Totals may not add due to rounding

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

		_
TOTAL	PCT.	100.00
ОТНЕВ	PCT	4.88
Stoneville ST 4554 B2RF OTHER	PERCENT	1.01
Deltapine DP 555 BG/RR	PERCENT	1.47
Dyna-Gro DG OA265 BR	PERCENT	1.89
Phytogen PHY 715 RF	PERCENT	3.32
CPCSD Acala Daytona RF	PERCENT	3.85
CPCSD CPCSD CPCSD Acala Daytona RF	PERCENT	3.93
	PERCENT	5.23
Phytogen PHY 78 Acala	PERCENT	7.33
CPCSD Phytogen Phytogen Acala Fiesta RR PHY 710 R Acala	PERCENT	8.61
CPCSD Acala Fiesta RR	PERCENT	9.00
Phytogen PHY 725 RF	PERCENT	14.97
Phytogen PHY 72 Acala	PERCENT	34.51
STATE		California

NOTE: Totals may not add due to rounding

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2006

	CPCSD	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	Hazera	PHYTOGEN	PHYTOGEN	PHYTOGEN	Public	
State	Cobalt Pima	DP 340	DP 353	DP 744	DP HTO	HA195	PHY 800	PHY 810 R	PHY 820	Pima S-7	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona California New Mexico	0.00	51.03 27.23 51.18	1.95	19.49 8.28 34.63	4.28	0.00	18.08 56.22	5.17	0.00	0.00	100.00
Texas	0.00	82.11	1.26	7.64	0.00	0.00	5.31	0.00	0.00	3.68	100.00
United States	0.22	32.79	0.14	9.50	1.61	0.31	49.82	4.77	0.56	0.28	100.00

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2006

	00000										
Classing	CFCSD	DELIAPINE	DELTAPINE	DELTAPINE	DELTAPINE	Hazera	PHYTOGEN	PHYTOGEN	PHYTOGEN	Public	
Office	Cobalt Pima	DP 340	DP 353	DP 744	DP HTO	HA195	PHY 800	PHY 810 R	PHV 820	Dima C.7	TOTAL
	1-00								070	I IIIIa O-1	10.2
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
PHOENIX:											
AZ	0.00	51.03	1.95	19 49	4 28	00.0	18.08	F 47	000	000	0000
	000		) (		07:1	00.0	20.00	27.0	00.0	00.0	100.00
22	0.00	51.18	00.00	34.63	00.00	0.00	10.75	3.44	000	000	100 00
×	0.00	82.11	1.26	7.64	0.00	0.00	5.31	000	000	3 68	100.00
Office total	000	68 34	100	17.38	720			0 0	900	20.00	00.00
			2	07:11	0.0	000	8.87	1.80	0.00	2.04	100.00
VICALIA	90.0	01.00									
VISALIA	0.20	21.23	0.00	8.28	1.76	0.36	56.22	5.24	0.65	0.00	100.00
United States	0.22	32.79	0.14	9.50	1.61	0.31	49.82	4.77	0.56	0.28	100.00



